



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI. a. s.

třída Tomáše Bati 299. Louky. 763 02 Zlín. Czech Republic

TESTING LABORATORY - TESTING DIVISION

issues

ATTEST

No. 472113540-01

On sample:

MDPE food foils FC02

(transparent, white, blue)

Client:

Novplasta, s.r.o

Cerovská 152, 900 81 Šenkvice, Slovak Republic,

ID: 35776455

Evaluation of the measured parameters:

The evaluated parameters mentioned on the pages 3 - 11 of the Attest meet hygienic requirements for the **products made of plastics** given by **Czech Health Ministry Decree No. 38/2001 Coll.**, relating to hygienic requirements for the articles intended to come into contact with foodstuffs. as amended and **Commission Regulation (EU) No. 10/2011 of 14th January 2011** on plastic materials and articles intended to come into contact with food. as amended.

Food contact conditions:

- Contact with all foodstuff types
- Long-time contact above 6 months at room or lower temperatures, including hot-fill conditions and/or heating up to $70\text{ }^{\circ}\text{C} \leq T \leq 100\text{ }^{\circ}\text{C}$ for up to the maximum contact time $t = 120/2^{((T-70)/10)}$ minutes
- Ratio: 60 cm² of product area/100 g (ml) of food (or more)

The evaluated sample meets requirements for the limit values of the substances limited by their specific migration limits (SML) and/or limited by their quantity in the mass of the final product (QM):

- According to the Annex I of Commission Regulation 10/2011: see page 2
- According to the Annex I of Commission Regulation 10/2011: primary aromatic amines
- According to the Annex II of Commission Regulation 10/2011: metals and primary aromatic amines.

The evaluated sample meets requirements of the article 3 of **Regulation (EC) No. 1935/2004 of the European Parliament and of the Council** on materials and articles intended to come into contact with food

Assessment of raw materials as required under the article 5 and the Annex I to Commission Regulation 10/2011 is not a part of this attest.

This Attest was issued on the basis of the accredited test report Ref. No. 472113540-01 issued on October 29, 2020

Issued on: October 29, 2020

Valid till: October 31, 2023



Dipl. Ing. Jiří Samsoněk. Ph.D.
Head of the testing laboratory

Conditions for use of the Attest and associated information:

1. The Attest applies only to the sample tested by our laboratory.
2. The Attest remains in effect until production technology, initial materials and standards or corresponding regulations are changed; however, its validity will extend beyond the period of its effect.
3. If further requirements of national or EU legal regulations apply to the product, the Attest does not replace procedures and documents necessary for assessment of compliance with these regulations.